



SAFETY DATA SHEET
EXTRA HIGH SOLIDS FLOOR POLISH

Page 1
Issued: 17.04.2008
Revision No: 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: EXTRA HIGH SOLIDS FLOOR POLISH
Company name: Greyland Ltd
Greg Street
South Reddish
Stockport
Cheshire
SK5 7BX
United Kingdom
Tel: +44 (0) 161 476 3607
Fax: +44 (0) 161 477 1870
Emergency tel: +44 (0) 161 476 3607
Email: greyland@cwcom.net

2. HAZARDS IDENTIFICATION

Main hazards: No significant hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: ETHYL DI GLYCOL 1-5%
CAS: 111-90-0
[Xi] R36
• 0433000 1-5%
CAS: 78-51-3
• ACRYLIC EMULSION 50-70%
[-] R52/53

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: No symptoms.
Eye contact: No symptoms.
Ingestion: No symptoms.
Inhalation: No symptoms.

4. FIRST AID MEASURES (ACTION)

Eye contact: Bathe the eye with running water for 15 minutes.
Ingestion: Wash out mouth with water.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
Exposure hazards: In combustion emits toxic fumes.

[cont...]

SAFETY DATA SHEET
EXTRA HIGH SOLIDS FLOOR POLISH

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: 0433000

WEL (8 hr TWA): 25ppm WEL (15 min STEL): 50ppm

Respiratory protection: Respiratory protection not required.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: White

Odour: Characteristic odour

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

Flash point°C: >70

pH: 8.5

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Hazardous ingredients: ETHYL DI GLYCOL

ORL RAT LD50 >2000 mg/kg

- 0433000

ORL RAT LD50 >2000 mg/kg

- ACRYLIC EMULSION

SAFETY DATA SHEET
EXTRA HIGH SOLIDS FLOOR POLISH

ORL RAT LD50 >5000 mg/kg

SKN RBT LD50 >5000 mg/kg

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.**12. ECOLOGICAL INFORMATION****Mobility:** Readily absorbed into soil.**Persistence and degradability:** Biodegradable.**Bioaccumulative potential:** No bioaccumulation potential.**Other adverse effects:** Negligible ecotoxicity.**13. DISPOSAL CONSIDERATIONS****NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.**14. TRANSPORT INFORMATION****ADR / RID****UN no:** Not Classified.**IMDG / IMO****UN no:** Not Classified.**IATA / ICAO****UN no:** Not Classified.**15. REGULATORY INFORMATION****Hazard symbols:** No significant hazard.**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**16. OTHER INFORMATION****Risk phrases used in s.3:** R36: Irritating to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.